

WWW.TRAILERSBYSOUTHERN.COM

469.517.0410

300 Howard Rd.

Waxahachie, TX 75165



## MODEL SED-32



## CONSTRUCTION

- Length: 22' to 40' - Frameless
- Width: 102"
- Sides: 40" to 60" Side Height
- Tub: 1/4", 3/16", or 5/16"
- Hardox: 450 Wearplate
- Nose & Gate: 3/16" Shell Material
- Top Rail: 5" Pipe
- Body Braces: 1/4" Internally Stiffened
- Hoist: 8" - 5 Stage, Inverted Trunion Mount



**TRAILERS**  
  
**BY SOUTHERN**



## WHO WE ARE

Trailers By Southern has been a trailer industry innovator since 1990. Our leading-edge production technologies and engineering excellence have changed the way the industry builds trailers.

## TAILGATE

Air Operated Hi-Lift Tailgate,  
integrated Mud Flaps

Suspension: 50,000 lb Single Point,  
Keeps 8 tires on ground

Axles: 25,000 lb 5" Tubular,  
5/8" Wall

Brakes: 16.5" x 7" Q+Shoes  
4S2MABS

Wheels: 8.25" x 22.5" Steel.  
10 Hole Disc, Hub Pilot

Tires: 11R x 22.5  
16 ply Radial

## LIGHTING

DOT & ICC Approved, Sealed,  
Rubber Mount with 7 way plug

## FINISH

Air Operated Hi-Lift Tailgate,  
integrated Mud Flaps

Fenders: Rear (Bolt-on)

Ladders: Front and Rear

Paint: Shot Blasted,  
Primer and Paint

Capacity (32" 48") 26.2 Cubic  
Yards, water level

## OPTIONS

Air Ride, Tri-axle, Apron,  
Front Fenders, Tarps,  
Scale & Tire Inflation

# MODEL SED-32

**TRAILERS**



CONTACT US

469.517.0410

Howard Rd.

Waxahachie, TX 75165



WWW.TRAILERSBYSOUTHERN.COM

972.977.7648

3941 Windmill Rd

Joshua, TX 76058

## MODEL SED-32



### CONSTRUCTION

Length: 22' to 40' - Frameless  
Width: 102"  
Sides: 40" to 60" Side Weight  
Tub: 1/4", 3/16", or 5/16"  
Hardox 450 Wearplate  
Nose & Gate: 3/16" Hardox  
Top Rail: 5" Pipe  
Body Braces: 1/4" Internally Stiffened  
Hoist: 8" - 5 Stage, Inverted  
Trunion Mount

### LIGHTING

DOT & ICC Approved, Sealed,  
Rubber Mount with 7 way plug

### TAILGATE

Air Operated Hi-Lift Tailgate,  
integrated Mud Flaps

Suspension: 50,000 lb Single Point,  
Keeps 8 tires on ground  
Axles: 25,000 lb 5" Tubular,  
5/8" Wall  
Brakes: 16.5" x 7" Q+Shoes  
4S2MABS  
Wheels: 8.25" x 22.5" Steel,  
10 Hole Disc, Hub Pilot  
Tires: 11R x 22.5  
16 ply Radial

### Finish

Fenders: Rear (Bolt-on)  
Ladders: Front and Rear  
Paint: Shot Blasted,  
Primer and  
Paint

Capacity (32" 48") 26.2 Cubic  
Yards, water level

### Options

Air Ride, Tri-axle, Apron,  
Front Fenders, Tarps,  
Scale & Tire Inflation



**SOUTHERN WELDING**  
Welding & Fabrication